SUBJECT AND AUTHOR INDEX

VOLUME XXIII

Actinoceras sp. (Bering St.) ..... 63, VII, XXVIII
sp. (Dobbin Bay) 85
backi 77, 88, 90, 95
bigsbyi 69, 70, 74
cochleatum 77
inflecta 90
lyoni 74
nummularium 90
richardsoni 75
rotulatum 90
Aeglina 108
Allumettoceras 315
Amphicyrtoceras sp. (Lockport) ..... 226, XLVI, fig. 4
sp. (Niagara Falls—1) ..... 225, XLVI, fig. 2
sp. (Niagara Falls—2) ..... 228, XLVI, fig. 3; XLVII, fig. 18
abruptum ..... 223, XLVI, XLVII
darwini ..... 99, XIV
laterale 100
orcas 100, 224
petitti 229
sauridens 225, 229
subcancellatum ..... 226, XLVI
thales 229
Angistorhinus, General characteristics of 169
Maximus, n. sp., description of 158
Apatodonosaurus, a new genus of Ichthyosaurs from the Jurassic of Wyoming 111
Apsidoceras insigne 6
Arkansas, Some brachiopods from the St. Clair limestone .... 127–140, XXXVI
Armenoceras 255
sp. (Dobbin Bay) ..... 91, XII, XXIII
sp. (Offley Id.) ..... 95, XII, XXIV
(Should be Cape Napoleon)
cochleatum 77
coppingeri ..... 85, 88, XII, XXIV
donetti ..... 10, 80, 82, XXIV
imbricatum 96
lyoni ..... 6, 74, XIII, XIV, XXIV
naresi ..... 93, XIII, XXIII

Armenoceras ommaneyi ..... 10, 77, 80, 84, 88, XIII, XXIV
richardsoni ..... 6, 75, XXI
cf. rotulatum ..... 3, 88, XXV
sphaeroidale ..... 6, 76, XXVIII
vertebratum ..... 220, XLI

Beloitoceras arcticum ..... 43, VIII, XXIII
(?) baffinense ..... 45, VIII, XXIII
(?) cornulum ..... 44, VIII, XXIII
Billingsites acutus 317
anticostiensis 317, 318
canadensis 317
costulatum 318
elongatus 318
manitoulinensis 318
newberryi 317
primus 318
welleri 318
williamsportensis 318
Brachiopods, from the St. Clair limestone ..... 127–140, XXXVI
Buchiola retriostriata 105, 106
Bumastus trentonensis 187
Bythocypris 84

Calapoecia canadensis 5, 7
Calceola sandalina 36
tennesseensis 36
Cameroceras ommaneyi 79
Centrocyrtoceras subannulatum ..... 199, XLVII
Charactoceras plicatus 7, 62
rotundum 7, 62
schucherti ..... 7, 61, IX, XXVII
Clarkoceras holtedahli 5
newtonwinchelli 5
Conradoceras 207
macrostomum ..... 208, XLIV, XLVII
Conularia aspersa 107
bilineata 107
delicatula 109
granulata 108
papillata 108
Crania ? cf. transversa ..... 128–129, XXXVI, fig. 2
siluriana 128, 129
Cryptoceras undatum 48
Cyclendoceras 8
sp. (Mount Beaufort) ..... 17, XI, XXII
annulatum ..... 16, 20, III
boreale ..... 15, I, XXII

Cycloceras 265
sp. (Port Byron) ..... 271, LVII
austini ..... 266, 269, LVI, LXXV
brucense ..... 266, 267, LIV, LVII
jolietense ..... 266, 268, LV
junciforme ..... 266, 270, LVI
niagarense ..... 266, 268, 269, LV, LVII, LXXV
semotior ..... 269, 271, LVI, LVII
undulostriatum ..... 176, XL
Cyclopyge 108
Cyrtoceras sp. (Offley Id.) 100
annulatum 199
arcuatum 175, 200
baffinense 45
billingsi 195
bovinum 228
camurum 186
cancellatum 226
constrictostriatum ..... 183, XLII
corniculum 198
cornulum 44
extricatum 60
filosum 186
hallianum 193
indianense 256
lamellosum 193, 195
macrostomum ..... 208, XLIV, fig. 1
macrostomum (pars) ..... 193, 203, XLIII, figs. 5 and 6
manitobense 7, 45, 98, 103
marginalis 208
multicameratum 192
myrice 298
neleum ..... 201, XLV, fig. 3
neleum (pars) ..... 194, 195, XLIII, fig. 2
subannulatum 199
subarcuatum 175
subcancellatum ..... 226, 227, XLVI, fig. 1
subcancellatum (pars) ..... 228, XLVI, fig. 3
tenuistriatum ..... 198, XLIII, fig. 4
tenuistriatum (pars) ..... 194, XLIII, fig. 2
whitneyi 189
Cyrtorizoceras sp. (Carlisle) ..... 193, XLIII, XLVII
camurum ..... 188, XLII, XLVII
constrictostriatum ..... 183, XLII, XLVII
filosum ..... 186, XLII, XLVII
multicameratum ..... 192, XLV, XLVII
whitneyi ..... 189, XLII, XLVII

Dalmanella arcuaria 134

Dalmanella edgewoodensis 134
cf. elegantula ..... 133-134, XXXVI, fig. 7
loveni 134
lunata 134
modesta 134
proxima 134
Dawsonoceras 265
sp. (Walcott) 217
americanum ..... 34, 218, 279, V, IX, XXVIII, LXI
annulatum ..... 32, V, XXVIII
aquilonare 8, 27, 28
bartonense 31, 32
bridgeportense ..... 278, LXI
crassum ..... 29, VI
graftonense ..... 278, LVIII
granti ..... 29, 32, 278, IV, XXVIII
hyatti ..... 26, 28, 273, 280, IV, XXVIII, XLVIII, LVIII, LIX, LXXV
multiliratum ..... 35, 40, 275, 279, LX
nodocostatum ..... 35, 274, 276, 280, LVIII, LIX
subtile VI
Deiroceras distans ..... 206, XL
python 207
Diestoceras alceum ..... 209, XLIV
schucherti ..... 103, IX, XXVII
Discina plicosa 128
Discinia transversa 129
Dolichobrachium gracile, discussion of 141

Ellesmereoceras scheii 5
Elrodoceras 253, 256
sp. (Wilmington) ..... 261, LXXIII
abnorme ..... 258, 259, 261, LXXII, LXXV
cf. abnorme ..... 259, LXXII
(?) carmani ..... 256, 261, LXXI
cedarvillense ..... 256, 260, LXXIV
(?) crebescens ..... 262, XLVIII, XLIX, LXXV
indianense ..... 256, LIV
Endoceras annulatum 20
baffinense ..... 14, VII
chidleyense ..... 13, II, XXII
distans 206
ommaneyi 78, 80, 82
proteiforme 14
Entomis 84
Ephippiorthoceras baffinense ..... 24, VII
compressum ..... 23, VII, XXIII
subarcuatum ..... 175, 200, XLIV, XLVII
Eurychilina 187

Eurystomites chidleyense ..... 58, II, XX, XXVII
kelloggi ..... 56, XVI, XXVII
plicatus 61
rotundus 56

FOERSTE, AUG. F., American Arctic and related cephalopods 1
A restudy of American orthoconic Silurian cephalopods 236
A restudy of some of the Ordovician and Silurian cephalopods described by Hall 173

Gastropoda ..... 127, XXXVI, fig. 1
Geisonoceras crebristriatum ..... 250, 252, LIV
franklinense ..... 255, LII
laphami 249
rochesterense ..... 254, LIII
wauwatosense ..... 250, LIII, LVI
wortheni ..... 253, LXVI
Goldius niagarensis 225, 226
Gomphoceras sp 225
Gomphoceras gibbosum ..... 229, XLVI
Gonioceras occidentale 5

Halysites gracilis 5, 7
Hebertella fissiplicata 131
tenax 131
Hesperiinae (Pamphilinae Auct.) 233
Huronia arctica 98
occidentale ..... 97, X
septata 97
sphaeroidalis 76
vertebralis ..... 98, XIV
Huroniella 88, 93
Hyattidina congesta 223
Hypothyridina cuboides 105

Ichthyosaurs, Apatodonosaurus, a new genus of Ichthyosaurs from the Jurassic of Wyoming 111
Inachus undatus (pars) 46

Jurassic, Apatodonosaurus, a new genus of Ichthyosaurs from the Jurassic of Wyoming 111

Kionoceras austini ..... 286, 301, LXIII, LXIV
sp. (Huntingdon) 304
sp. (Port Byron) ..... 300, LXII
sp. (Shelby) 291
sp. (Yellow Springs) ..... 290, LXII, LXIV, LXV
carltonense 302

Kionoceras delphiense 293, 295, 297, 298
doricum 285
fililineatum ..... 305, XLIX, LXVIII
hoyi 289, 292, 304
lineolatum 288, 289, 292
lockportense ..... 216, XLV
loxias ..... 290, 293, 298, LXII
mcchesneyi ..... 296, 298, LXV
multiseptatum ..... 297, LXVII
myrice ..... 292, 298, 300, LXIII
cf. myrice ..... 3, 37, X
orus ..... 285, 302, 304, LXIV
rochesterense 304
scalariforme ..... 39, VII
scammoni .... 285, 287, 293, 305, LXII, LXIII, LXIV, LXV, LXVII
strix ..... 293, LXVI, LXVII
cf. strix ..... 293, LXIII
subcancellatum ..... 215, 217, XLV
woodworthi ..... 289, 291, LXIII
Kochoceras feildeni ..... 5, 64, 65, 69, XI, XXV
foordi ..... 6, 70, VI
lenticulare ..... 63, 69, XI, XXV
mantelli ..... 6, 67, XXV

Lechritrochoceras notum ..... 219, XL
Leperditia arctica 84
Leptaena rhomboidalis ..... 135–136, XXXVI, fig. 9
segmentum 135
Leurocycloceras raymondi ..... 272, LVI, LVII
wisconsinense ..... 273, LVI
LINDSEY, A. W., Hesperioidea from the Kartabs district of British Guiana ... 231
Lissatrypa phoca 10
Lithostrotion 89
Lituites (Cornwallis Id.) 11, 60
articulatus 60
undatus (pars) 46, 48
undatus occidentalis 51

Maclurea magna 92, 96
Manitoulinoceras lysander 202
middlevillense ..... 203, XLIII
neleum ..... 201, XLV
Manticoceras intumescens 104, 105
pattersoni ..... 104, XXI, XXVIII
MEHL, M. G., Apatodonosaurus, a new genus of Ichthyosaurs from the Jurassic of Wyoming 111
The Phytosauria of the Wyoming Triassic 141
Metaconularia aspersa 107

Metaconularia delicatula 109
granulata ..... 108, 109, XXIX
heymanni 110
papillata ..... 108, XXIX
ulrichi ..... 109, XXIX
Mimulus 137–138
contrarius 137, 138
moera 138
perversus ..... 137, 138, XXXVI, fig. 11
waldronensis 137
Monocyrtoceras arcticum ..... 3, 100, 316, VI
Murrayoceras murrayi ..... 314, LXXV

Nautilus kelloggi 56
Nybyoceras bekkeri 6, 77

Offleyoceras arcticum ..... 315, 316, LXXV
Oncoceras abruptum ..... 204, XLV
alceum 209
arcticum 44
constrictum 205
gibbosum 218, 229
petitti 224, 229
subrectum 214
thales 224, 229
tumidum 102
Ophidioceras sp. (Cornwallis Id.) 11, 60
articulatum 11, 60
extricatum 11
Orbiculoidea ..... 127, 128, XXXVI, fig. 1
Ormoceras 265
sp. (Arctic America) ..... 10, 71, XXV
sp. (Frobisher Bay) VII
bayfieldi 73
crebriseptum XII
vertebratum 220
Orthis rugaeplicata 129
tricenaria 187
Orthoceras abnorme 256, 258
sp. (Cedarville) ..... 246, LXXIV
sp. (Cornwallis Id.) 10, 23
sp. (Lockport) ..... 213, XLVI, fig. 5
abruptum 223
alienoides ..... 241, LI, LXXV
alienum ..... 239, 241, LI, LXVII
anellus ..... 177, 179, XL, fig. 4
anellus (pars) ..... 178, 181, XL, fig. 3
angulatum 287

Orthoceras annulatum 26, 27, 36
annulatum americanum 34
annulatum (Walcott) 217
arcticum 101, 316
bilineatum 37
bilineatum alpha ..... 181, XL
brucensis 267
byronense ..... 246, LI
cancellatum ..... 215, XLV, fig. 7
cancellatum (pars) ..... 216, XLV, fig. 8
carltonense 302
clathratum 182
clavatum ..... 214, XLV, XLVII
columnare 302, 305
crebescens ..... 243, 256, 262, XLVIII, XLIX, LXXV
crebristriatum ..... 252, 256, LIV
crocus 284
crotalum 19
darwini 37, 99
(Kionoceras) delphiense 295
doricum 285
franklinense ..... 255, LII
gorbyi 283
griffithi ..... 20, 22, 26, XIV, XXII
hoyi 304
imbricatum 85, 87, 88, 95, 96, 254
irregulare 289, 291
laphami 249
lineolatum 292, 297, 298
medullare 40, 308, 310, 312
moniliforme VII
moodiense ..... 242, LII
multiseptum ..... 212, XLI
murrayi 314
niagarense 266
nodicostatum 276
nodocostum 276
nummularium 88, 90
olorus 179
olorus baffinense 36
ommaneyi ..... 77, 79, XI, XIII
originale 286, 313, 314
orus 302, 305
(Kionoceras) orus 303, 304
penicillum ..... 248, LII, LXXV
perannulatum 284
porteri 37
rectum 243, 244, 245, 253

Orthoceras rotulatum 90
scammoni 287
scheii 317
semiplanatum 315
shatzeri ..... 242, LII
striaelineatum 312
striato-punctatum 313
strix 293, 295, 298
styloideum 248
subbaculum ..... 245, XLIX
subcancellatum 215
sulmenevense 317
tenuiannulatum 285
cf. thoas 18, 19
turbidum 40, 41
undulostriatum 176
vertebrale 179
virgatum 307
virgulatum ..... 213, XLV
wauwatosense ..... 250, LII, LVI
whitfieldi ..... 243, L
wilmingtonense ..... 247, LXXIII, LXXIV
Orthoceratites defrancii 36
Orthostrophia 129–130
? clairensa ..... 130–131, 132, 133, XXXVI, fig. 3
? delicada ..... 131, 132, 133, XXXVI, fig. 5
? cf. fissiplicata ..... 131, 132, 133, XXXVI, fig. 4
nisis 130
rama ..... 131, 132–133, XXXVI, fig. 6

Paleorhinus, general characteristics of 156
Parvus, n. sp., description of 142
Uransoni, comparison with P. Parvus 154
Parakionoceras originale 286, 314
striato-punctatum 313
Phytosauria of the Wyoming Triassic 141
Placoparia 108
Plectambonites 193
intermedius 135
prolongatus 135
quinquecoste ..... 134–135, XXXVI, fig. 8
sericeus 135
transversalis 135
Plectoceras halli ..... 48, 54, XXI, XXVI
lowi ..... 54, XVIII, XIX, XXVI
obscurum 48
occidentale 51
undatum ..... 46, 56, 57, XV, XVI, XXVI
Plectorthis jamesi 129

Poterioceras sp. (Frobisher Bay) 103
sp. (Wiarton) 224
Probillingsites welleri ..... 317, 318, LXXI
williamsportensis ..... 319, 320, LXXV
Protobactrites styloideum 248
Protokionoceras 296
sp. (Joliet) ..... 312, LXX
crooki ..... 306, 308, LXIX, LXX
medullare ..... 40, 246, 264, 285, 306, 310, LXIX
striaelineatum 312
Pterinea emacerata 218
Pugnax pugnus 105
Pyrginae 231

Receptaculites arctica 92, 96
occidentalis 92
oweni 76
Rhipidomella hybrida 129
Rizoceras lockportense ..... 218, XLI

Sactoceras sp. (Cedarville) ..... 248, LII, LXXV
sp. (Griffith Id.) ..... 24, XI, XXII
sp. (Griffith and Cornwallis Ids.) 10, 26
(?) lineatum 41
striatum 41
St. Clair limestone ..... 127–140, XXXVI
Spirifer disjunctus 106
Spyroceras 265
anellus ..... 177, XL
anticostiense 284
baffinense 36
bilineatum ..... 19, 37, 179, 180, 282, XL
bilineatum alpha ..... 181, XL
clathratum ..... 182, XL
clintoni 19
crocus ..... 282, 284, LVI
crotalum 19
geronticum 282
gorbyi ..... 283, LXI
hammelli 19, 283
jamesi 19
microlineatum 8, 28
middlevillense ..... 178, 180, 181, XL
olorus ..... 179, XL
porteri ..... 37, VII, XXIII
ruedemanni ..... 282, LXI, LXIII
textile 182
tenuiannulatum 285

Streplis grayii ..... 139, XXXVI, fig. 12
Stromatopora 89
Strophomena filitexta 209
Syringopora geniculata 73

THOMAS, N. L., Some brachiopods from the St. Clair limestone ..127–140, XXXVI
Thuleoceras ornatum ..... 7, 98, VIII, XXIII
Triassic, The Phytosauria of the Wyoming Triassic 141
Triplecia contrarius ..... 136–137, XXXVI, fig. 10
ortoni 137
waldronensis 137
Tripleuroceras 315
Tripteroceras 315
Trochoceras costatum 220
halli 48
notum 219
Troedssonoceras lineatum 41
striatum 41
turbidum ..... 41, VI, XXIII

Ulrichoceras 211
beloitense ..... 211, 320, XLVII, LII

Westonoceras 98, 99
latum 103
(?) tumidum ..... 102, VIII
WRIGHT, FRANK J. The erosional history of the Blue Ridge 321
Wyoming, Apatodonosaurus, a new genus of Ichthyosaurs from the Jurassic of Wyoming 111
The Phytosauria of the Wyoming Triassic 141

Zitteloceras beloitense ..... 194, 202, XLIII, XLVII
hallianum ..... 193, 196, XLIII
percurvatum ..... 196, XLIII, XLVII
tenuistriatum ..... 198, XLIII, XLVII